Capio™ SLIM

Suture Capturing Device

Scientific

Building on the history, reducing the profile

Always there.

### Capio<sup>™</sup> SLIM Suture Capturing Device

The Capio SLIM Suture Capturing device features a reduced profile to minimize the space required within the surgical field, easy suture loading and a funnel shaped catch, designed for consistent ease of use.



Suture Capturing Device

Since 1995, the Capio Device has provided consistent suture placement in difficult to access pelvic floor locations.

70% Reduction in Shaft Diameter

Easy Suture
Dart Loading

**New** "funnel" suture dart catch design

### 36% Reduction in Head Width



Capio SLIM Suture Capturing Device



Capio OPEN ACCESS
Suture Capturing Device

# The evolution continues...



1995

The Capio Suture Capturing Device debuts, revolutionizing the field of urogynecology.



1999

The Capio Device is used with Repliform™ Graft, offering another treatment option.



2006

Ergonomic Handle

Providing

3 Finger Grip

The Capio Device is used with Xenform™ Graft, offering more material options for prolapse repair.



### **Comparison of Device Heads**



**Figure 1:** Comparison of Device Heads illustrates the difference in carrier diameter amongst these fixation devices. The Capio SLIM Suture Capturing Device carrier diameter is 45% less than the FIXT Suturing Device and 43% less than the Digitex Suture Delivery System.

Building on the history and reducing the profile, the Capio SLIM Suture Capturing Device features one of the smallest device profiles and suture dart carrier diameter while keeping the same bite depth as the current Capio Open Access Suturing Device.

### **Fixation Device Comparison**

	Shaft Diameter (mm)	Head Width (mm)	Device Weight (g)	Carrier Diameter (mm)
Capio OPEN ACCESS Suture Capturing Device**	10.1	9.8	45.4	1.2
Capio SLIM Suture Capturing Device*	3.0	6.3	38.2	1.2
Digitex Suture Delivery System*	9.5	9.6	133.3	2.1
FiXT Suturing Device*	4.8	6.9	121.1	2.2

**Figure 2:** Fixation Device Comparison illustrates the device profile differences amongst these fixation devices. The Capio SLIM Suture Capturing Device has the smallest device profile based on the following measurements: shaft diameter, head width and device weight.

## with the Capio SLIM Suture Capturing Device.



2008

The Capio Device is used with the Uphold™ System, one of the smallest mesh footprints for pelvic floor reconstruction.



2011

The Capio Device remains "the foundation" of Pelvic Floor Reconstruction.



<sup>\*</sup>Measurements were recorded using one (1) of each device. Data on file at Boston Scientific.

<sup>\*\*</sup>Head width and device weight values are an average of five (5) device measurement recordings. Shaft diameter values are an average of fifteen (15) device measurement recordings. Data on file at Boston Scientific.

### Capio™ SLIM Suture Capturing Device

Order Number	Description	Unit
M006 <b>831825</b> 0	Capio SLIM Suture Capturing Device	bx 1
M006 <b>831826</b> 1	Capio SLIM Suture Capturing Device	bx 5

#### **Capio Sutures**

Order Number	Description	Size	Unit
M006 <b>833113</b> 1	Non-absorbable, coated braided polyester, double armed with TC tapercut needle (dart), 48"	0	bx 12
M006 <b>833123</b> 1	Non-absorbable, polypropylene monofilament, double armed with TC tapercut needle (dart), 48"	0	bx 12
M006 <b>833213</b> 1	Absorbable, coated braided PGA, double armed with TC tapercut needle (dart), 48"	0	bx 12
M006 <b>833114</b> 1	Non-absorbable, coated braided polyester, double armed with TC tapercut needle (dart) and a T 26mm 1/2 circle taper needle, 36"	0	bx 12
M006 <b>833124</b> 1	Non-absorbable, polypropylene monofilament, double armed with TC tapercut needle (dart) and a T 26mm 1/2 circle taper needle, 36"	0	bx 12
M006 <b>833137</b> 1	Monodek™ Absorbable, monofilament PDO, double armed with TC tapercut needle (dart) and a T 26mm 1/2 circle taper needle, 48"	0	bx 12

## Your Pelvic Floor Reconstructive Tool to Meet a Variety of Your Algorithm Needs:

- Native Tissue Repair
- Biologic Graft Augmentation
- Synthetic Mesh And More...

All images are owned by Boston Scientific. All trademarks are the property of their respective owners.

For Xenform Soft Tissue Repair Matrix: CAUTION: Federal (US) law restricts this device to sale by or on the order of a physician trained in the use of surgical mesh for repair of pelvic organ prolapse.

Repliform Tissue Regeneration Matrix complies with U.S. Regulations 21 CFR part 1271 Human Tissue Intended for Transplantation. Repliform Matrix is not CE marked and therefore is not available for distribution in European markets.

Products shown for informational purposes only - not meant as a promotion or offer for sale - certain components pending CE Mark, not available for sale in the European Economic Area (EEA)

Data on file. Bench test results may not necessarily be indicative of clinical performance. Results from case studies are not predictive of results in other cases. Results in other cases may vary.

CAUTION: Federal Law (USA) restricts these devices to sale by or on the order of a physician.

Refer to package insert provided with these products for complete Indications for Use, Contraindications, Warnings, Precautions, Adverse Events, and Instructions prior to using these products.

**CAUTION:** The law restricts these devices for sale by or on the order of a physician. Information for use only in countries with applicable health authority registrations. Material not intended for use in France.

Products shown for INFORMATION purposes only and may not be approved for sale in certain countries.

Please check availability with your local sales representative or customer service.





Boston Scientific Corporation 300 Boston Scientific Way Marlborough, MA 01752 www.pelvic-floor-institute.com

### Ordering Information 1.888.272.1001

© 2016 Boston Scientific Corporation or its affiliates. All rights reserved.

WH-125306-AC OCT 2016